

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	844	three-dimensional adj memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:50
S2	2748	three-dimensional adj array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:10
S3	3400	S1 or S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:10
S4	2060	S3 and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:10
S5	74461	S4 and decod\$3 and select\$3 (wordline\$1 or word adj line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:39
S6	315373	decod\$3 and select\$3 (wordline\$1 or word adj line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:11
S7	212	S4 and decod\$3 and select\$3 and (wordline\$1 or word adj line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:12
S8	248	S4 and decod\$3 and select\$3 and (bitline\$1 or bit adj line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:12

S9	195	S7 and decod\$3 and select\$3 and (bitline\$1 or bit adj line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:15
S10	113	S9 and half	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:16
S11	85	S10 and column and row	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:24
S12	28	S10 not S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:26
S13	82	S9 not S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:26
S14	215	S4 and decod\$3 and (wordline\$1 or word adj line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:30
S15	20	S14 not S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:30
S16	212	S4 and decod\$3 and select\$3 and (wordline\$1 or word adj line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:40

S17	23	S16 and @pd<"19981116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:51
S18	54503	three-dimensional and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:50
S19	9171	S18 and (decod\$3 or select\$3) and row and column	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:51
S20	2054	S19 and @pd<"19981116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:52
S21	1040	S20 and half	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:51
S22	111	S20 and (wordline\$1 or word adj line\$1) and (bitline\$1 or bit adj line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:52

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	844	three-dimensional adj memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:50
S2	2748	three-dimensional adj array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:10
S3	3400	S1 or S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:10
S4	2060	S3 and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:10
S5	74461	S4 and decod\$3 and select\$3 (wordline\$1 or word adj line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:39
S6	315373	decod\$3 and select\$3 (wordline\$1 or word adj line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:11
S7	212	S4 and decod\$3 and select\$3 and (wordline\$1 or word adj line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:12
S8	248	S4 and decod\$3 and select\$3 and (bitline\$1 or bit adj line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:12

S9	195	S7 and decod\$3 and select\$3 and (bitline\$1 or bit adj line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:15
S10	113	S9 and half	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:16
S11	85	S10 and column and row	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:24
S12	28	S10 not S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:26
S13	82	S9 not S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:26
S14	215	S4 and decod\$3 and (wordline\$1 or word adj line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:30
S15	20	S14 not S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:30
S16	212	S4 and decod\$3 and select\$3 and (wordline\$1 or word adj line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:40

S17	23	S16 and @pd<"19981116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:51
S18	54503	three-dimensional and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 14:30
S19	9171	S18 and (decod\$3 or select\$3) and row and column	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:51
S20	2054	S19 and @pd<"19981116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:52
S21	1040	S20 and half	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 17:51
S22	111	S20 and (wordline\$1 or word adj line\$1) and (bitline\$1 or bit adj line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 11:23
S23	16023	opposite adj edges.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 11:24
S24	0	circuits adj respectively adj located adj along adj opposite adj edges. clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 14:25

S25	2750	three-dimensional adj array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 14:35
S26	54556	three-dimensional and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 14:25
S27	9187	S26 and (decod\$3 or select\$3) and row and column	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 14:35
S28	2054	S27 and @pd<"19981116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 14:35
S29	111	S28 and (wordline\$1 or word adj line\$1) and (bitline\$1 or bit adj line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 14:36
S30	7	S25 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 14:26
S31	2	"3693169".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 14:30
S32	55897	S25 or S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 14:35

S33	9350	S32 and (decod\$3 or select\$3) and row and column	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 14:35
S34	2101	S33 and @pd<"19981116"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 14:35
S35	111	S34 and (wordline\$1 or word adj line\$1) and (bitline\$1 or bit adj line\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 14:44
S36	1	S35 and three-dimensional adj memory adj array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 14:37